



# Safety Data Sheet

SE 70.000  
January 01, 2015

Page 1 of 7

---

## Section 1: PRODUCT AND COMPANY IDENTIFICATION

---

Omega Products International  
P.O. Box 77220  
Corona, CA 92877-0107

Company Phone Number: 1-951-737-7447  
Emergency Phone Number: 1-951-737-7447 or 1-800-600-6634

Product Name: Non-Sanded Grout NS200, Sanded Grout GS300, and Siena Paver Grout

Issue Date: January 01, 2015

---

## Section 2: HAZARDS IDENTIFICATION

---

### 2.1 Emergency Overview

Appearance: Gray, White or Tan Sandy Powder



#### DANGER

Causes severe skin burns and eye damage (Category 1B)  
May cause allergy or asthma symptoms or breathing difficulties if inhaled (Category 1)  
May cause cancer (inhalation) (Category 1A)

Causes damage to organs (lung/respiratory system) through prolonged or repeated exposure (inhalation) (Category 1)

Chronic unprotected exposure may lead to silicosis.

### 2.2 Potential Health Effects

**Relevant routes of exposure:** Eye contact, skin contact, inhalation

#### Potential Acute Health Effects:

**Eye:** Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes

**Skin:** May cause irritation on prolonged or repeated contact.

**Inhalation:** Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat of the nose, throat and lungs. Chronic unprotected exposure may lead to silicosis

**Ingestion:** Ingest of material may cause vomiting and/or stomach pains.



# Safety Data Sheet

SE 70.000  
January 01, 2015

Page 2 of 7

**Carcinogenicity:** IARC: SiO<sub>2</sub>, TiO<sub>2</sub>      NTP: Not Regulated      OSHA: Not Regulated

## Potential Chronic Health Effects

**Chronic effects:** Contains Material that can cause target organ damage (lungs / respiratory system).

**Target Organs:** Contains material which causes damage to the following organs: lungs. Review Section 2 and 11 for any additional assessments.

## Over-Exposure Signs/Symptoms

**Inhalation:** Adverse symptoms may include the following: respiratory tract irritation and coughing

## 2.3 Potential Environmental Effects

Not considered to be harmful to aquatic and terrestrial life.

---

## **Section 3: COMPOSITION/INFORMATION OF INGREDIENTS**

---

CAS Number	Component	Content [wt %]	
		Lower	Upper
14808-60-7	Silica, Crystalline Quartz	5.0	70.0
1317-65-3	Calcium Carbonate	0.0	55.0
65997-15-1	Portland Cement	30.0	40.0

---

## **Section 4: FIRST-AID MEASURES**

---

**Eye Contact:** Immediately flush eyes with plenty of water for at least 15 minutes. Check for and remove any contact lenses. Get medical attention if irritation occurs.

**Skin Contact:** Wash affected area thoroughly with soap and water for at least 15 minutes. Consult a physician or other qualified medical personnel if the condition persists.

**Inhalation:** Remove to fresh air. Check for clear airway, breathing and presence of pulse, Provide cardiopulmonary resuscitation for persons without pulse or respirations. Consult a physician or other medical personnel.

**Ingestion:** If swallowed, dilute by drinking large amounts of water, give at least 2 glasses of water to drink. Consult a physician or other qualified medical personnel. Never give anything by mouth to an unconscious person.



# Safety Data Sheet

SE 70.000  
January 01, 2015

Page 3 of 7

---

## Section 5: FIRE FIGHTING MEASURES

---

**Suitable Extinguishing Media:** Water Spray, carbon dioxide (CO<sub>2</sub>), dry chemical, alcohol foam.

**Unsuitable Extinguishing Media:** None

**Products of Combustion:** None

**Unusual Hazards:** None

**Protection of Firefighters:** Firefighters should wear self-containing breathing apparatus (pressure demand MSHA/NIOSH approved or equivalent) and full fire-fighting turnout gear.

---

## Section 6: ACCIDENTAL RELEASE MEASURES

---

**Personal Precautions:** Use personal protection recommended in section 8.

**Environmental Precautions:** Keep out of drains, sewers, ditches and waterways. Minimize use of water to prevent environmental contamination.

**Methods for Containment:** Handle as a nuisance dust. Use respiratory protection if dust becomes airborne.

**Methods for Clean-Up:** Dispose of in accordance with applicable Federal, State, and Local regulations. Keep spills and runoff out of municipal sewers and open bodies of water.

---

## Section 7: HANDLING AND STORAGE

---

**Handling:** Do not get in eyes. Avoid contact with skin. Use in well ventilated areas. Wash thoroughly after handling.

**Storage:** Store in a cool, dry location and out of direct sunlight. Protect sacks from weather and other damage.

---

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

---

### Exposure Guidelines:

	OSHA PEL	ACGIH TLV	NIOSH REL
Silica, Crystalline Quartz	30 mg/m <sup>3</sup> %SiO <sub>2</sub> <sup>+2</sup>	Not Established	0.05 mg/m <sup>3</sup> TWA
Portland Cement	15 mg/m <sup>3</sup> TWA	10 mg/m <sup>3</sup> TWA	10 mg/m <sup>3</sup> TWA
Calcium Carbonate	15 mg/m <sup>3</sup> TWA	10 mg/m <sup>3</sup> TWA	10 mg/m <sup>3</sup> TWA

**Engineering Controls:** Use local ventilation, if needed.



## Safety Data Sheet

SE 70.000  
January 01, 2015

Page 4 of 7

**Eye/face Protection:** Use chemical splash goggles (ANSI 287.1 or approved equivalent)

**Skin Protection:** Use rubber or neoprene gloves to provide protection against wet material.

**Respiratory Protection:** None required for normal use of this product. If material is sanded or ground when dry, NIOSH/MSHA approved respirators for dust should be provided and used. As with any safety product, workers using respirators should be trained in the proper selection, use and care of such equipment.

**General Hygiene Considerations:** Wash thoroughly after handling. Have eye-wash facilities immediately available.

---

### Section 9: PHYSICAL AND CHEMICAL PROPERTIES

---

Color: Gray, white or tan sandy powder material

Odor: None.

Odor Threshold: Not available.

Physical State: Solid.

pH: Not available.

Freezing Point: Not available.

Boiling Point: Not applicable.

Flash Point: Noncombustible

Evaporation Rate: Not applicable.

Flammability (solid, gas): Not available.

Upper Flammability Limit: Not available.

Lower Flammability Limit: Not available.

Auto Ignition Temperature: Not available.

Vapor Pressure: Not available.

Vapor Density: Not available.

Specific Gravity: Not available.

Solubility (water): Slightly

Partition Coefficient (n-octanol/water): Not available.

---

### Section 10: STABILITY AND REACTIVITY

---

**Chemical Stability:** Stable under normal conditions of storage and use, hazardous polymerization will not occur.

**Conditions to Avoid:** None

**Incompatible Materials:** None

**Hazardous Decomposition Products:** None under normal conditions of storage and use.



# Safety Data Sheet

SE 70.000  
January 01, 2015

Page 5 of 7

---

## Section 11: TOXICOLOGICAL INFORMATION

---

**Eyes:** No specific hazard known. May cause transient irritation or alkali burns.

**Skin:** No specific hazard known. May cause transient irritation or alkali burns.

**Inhalation:** No specific hazard known. May cause transient irritation, headache, nausea, and /or inflammation of the nose, throat or lungs.

**Ingestion:** No specific hazard known.

---

## Section 12: ECOLOGICAL INFORMATION

---

Aquatic Toxicity: No data available.

Terrestrial Toxicity: No data available.

Persistence and degradability:

Mobility: No data available.

Bioaccumulation: No data available.

---

## Section 13: DISPOSAL CONSIDERATIONS

---

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements. The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated.

It is the responsibility of the waste generator to determine toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

---

## Section 14: TRANSPORTATION INFORMATION

---

Land transport USDOT      Not classified as a dangerous good under transport regulations

Sea transport IMDG      Not classified as a dangerous good under transport regulations

Air transport IATA/ICAO      Not classified as a dangerous good under transport regulations



# Safety Data Sheet

SE 70.000  
January 01, 2015

Page 6 of 7

---

## Section 15: REGULATORY INFORMATION

---

### US regulations

HCS Classification: Target organ effects

### US Federal Regulations

**SARA 311/312 Classification** Immediate (acute) health hazard, Delayed (chronic) health hazard

### **SARA 313 - Supplier Notification**

This product contains the following toxic chemical(s) subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986, and Subpart C-Supplier Notification Requirement of 40 CFR Part 372.

None required.

**SARA 302 Extremely Hazardous Substances** None required.

### State Regulations

Omega Products International, Inc., as a blender of processed material in the State of California, is required by Proposition 65 to warn that one or more of the components contained in this product could contain chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm. The State of California (Proposition 65) requires this warning in the absence of definitive testing to prove that the defined risks do not exist. We believe this product complies with all other applicable state and federal laws and regulations governing manufacture, distribution and intended use.

---

## Section 16: OTHER INFORMATION

---

### **Hazardous Material Information System III (U.S.A.)**

Health: \*

Flammability: 0

Physical Hazards: 0

Health rating applies only to acute effects as defined by the National Paint and Coatings Association)

\*See Section 2 Hazards Identification

**Caution:** HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.



## Safety Data Sheet

SE 70.000  
January 01, 2015

Page 7 of 7

The customer is responsible for determining the PPE code for this material.

### Legend

ACGIH	American Conference of Government Industrial Hygienists
HMIS	Hazardous Material Identification System
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
STEL	Short Term Exposure Limit
TWA	Time Weighted Average
NIOSH	National Institute for Occupational Safety and Health
PEL	Permissible Exposure Limit

This information is furnished without warranty, representation, inducement or license if any kind, except that it is accurate to the best of Omega Products International, Inc.'s knowledge or is obtained from sources believed to be accurate. Omega Products International, Inc. does not assume any legal responsibility for its use or reliance upon same/ Customers are encouraged to conduct their own tests. Before using any product, read its label.